DUBOIS CIMCOOL RUID TECHNOLOGY

SAFETY DATA SHEET

1. Identification

Product identifier CIMCLEAN® PRODUCTO™ SP-787CT

INDUSTRIAL CLEANER

Other means of identification

SDS number Not applicable Product code B40158

Recommended use INDUSTRIAL CLEANER

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

telephone 1-703-527-3887 (CHEMTREC)

Supplier

Company name DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada

Address B1 – 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin irritation Category 2

Serious eye irritation Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

ResponseIF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

Material name: CIMCLEAN® PRODUCTO™ SP-787CT

Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MONOETHANOLAMINE		141-43-5	10 - 30
TRIAZINETRIETHANOL		4719-04-4	1 - 5
TRIETHANOLAMINE		102-71-6	1 - 5
Other components below reports	able levels		60 - 80

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

redness, swelling, and blurred vision. Skin irritation.

contaminated clothing before reuse.

Eve contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Alcohol resistant foam. Powder. Carbon dioxide (CO2). Use extinguishing measures

that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMCLEAN® PRODUCTO™ SP-787CT

Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. Use water spray to reduce vapors or divert vapor cloud drift. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

inever

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	; Type	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sch	nedule 1, Table 2)	
Components	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	7.5 mg/m3	
		3 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
Canada. British Columbia OELs. (C	Occupational Exposure Limits	s for Chemical Substances Occupational Health	
Safety Regulation 296/97 as amon		s for Orientical Substances, Occupational Health	and
		Value	and
Components MONOETHANOLAMINE	ded)		and
Components MONOETHANOLAMINE	ded) Type	Value	and
Components MONOETHANOLAMINE (CAS 141-43-5) TRIETHANOLAMINE (CAS	Type STEL	Value 6 ppm	and
Components MONOETHANOLAMINE (CAS 141-43-5) TRIETHANOLAMINE (CAS 102-71-6)	Type STEL TWA TWA	Value 6 ppm 3 ppm 5 mg/m3	and
Components MONOETHANOLAMINE (CAS 141-43-5) TRIETHANOLAMINE (CAS 102-71-6) Canada. Manitoba OELs (Reg. 217/	Type STEL TWA TWA	Value 6 ppm 3 ppm 5 mg/m3	and
Components MONOETHANOLAMINE (CAS 141-43-5) TRIETHANOLAMINE (CAS 102-71-6) Canada. Manitoba OELs (Reg. 217/Components MONOETHANOLAMINE	Type STEL TWA TWA TWA 2006, The Workplace Safety	Value 6 ppm 3 ppm 5 mg/m3 And Health Act)	and
Safety Regulation 296/97, as amen Components MONOETHANOLAMINE (CAS 141-43-5) TRIETHANOLAMINE (CAS 102-71-6) Canada. Manitoba OELs (Reg. 217/Components MONOETHANOLAMINE (CAS 141-43-5)	Type STEL TWA TWA TWA Z2006, The Workplace Safety Type	Value 6 ppm 3 ppm 5 mg/m3 And Health Act) Value	and

Material name: CIMCLEAN® PRODUCTO™ SP-787CT

SDS Canada

Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019

Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3
		0.5 ppm
	stry of Labor - Regulation respecting	
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Saskatchewan OELs Components	s (Occupational Health and Safety Req Type	gulations, 1996, Table 21) Value
MONOETHANOLAMINE (CAS 141-43-5)	15 minute	6 ppm
	8 hour	3 ppm
	15 minute	10 mg/m3
TRIETHANOLAMINE (CAS 102-71-6)		
	8 hour	5 mg/m3
	8 hour No biological exposure limits noted for the second	·

Skin protection

Nitrile gloves are recommended. **Hand protection**

Other Wear appropriate chemical resistant clothing.

contaminants.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

9. Physical and chemical properties

Appearance CLEAR Physical state Liquid. Form Liquid. Color Not available. **CHEMICAL** Odor Not available. **Odor threshold**

10.9 pН

< 32 °F (< 0 °C) Melting point/freezing point

Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019

4/8

> 212 °F (> 100 °C) Initial boiling point and boiling

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

Relative density 1.03

Solubility(ies)

100 % Water Miscible Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Viscosity

Other information

Explosive properties Not explosive. Not oxidizing. **Oxidizing properties** pH in aqueous solution 9.1 @ 4% 1.026 Specific gravity **VOC ASTM D2369** 18 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form Incompatible materials

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Health injuries are not known or expected under normal use. Inhalation

Skin contact Causes skin irritation. Eye contact Causes eye irritation.

Expected to be a low ingestion hazard. Health injuries are not known or expected under normal Ingestion

use.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

Acute toxicity

Material name: CIMCLEAN® PRODUCTO™ SP-787CT SDS Canada Components **Test Results Species**

TRIAZINETRIETHANOL (CAS 4719-04-4)

Acute Dermal Liquid

LD50 Rat 4000 mg/kg

Oral Liquid

LD50 Rat 1000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute Dermal Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

Rat LD50 4190 mg/kg

Skin corrosion/irritation Causes skin irritation. Causes eye irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> MONOETHANOLAMINE (CAS 141-43-5) Irritant TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results Components **Species**

MONOETHANOLAMINE (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019

6/8

Test Results Components **Species** Acute EC50 Crustacea Daphnia 65 mg/l, 48 hours ECHA TRIAZINETRIETHANOL (CAS 4719-04-4) Aquatic Acute EC50 Crustacea Daphnia 11.9 mg/l, 48 hours ECHA Fish LC50 Fish 16 - 240 mg/l, 96 hours ECHA TRIETHANOLAMINE (CAS 102-71-6) **Aquatic** Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours Acute Fish LC50 Bluegill (Lepomis macrochirus) 450 - 1000 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31 **TRIAZINETRIETHANOL** -2 **TRIETHANOLAMINE** -2.3

Mobility in soil This product is miscible with water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS Canadian regulations

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019 7/8

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

16. Other information

Issue date 03-05-2019 **Revision date** 05-04-2021

Version # 02

United States & Puerto Rico

NFPA ratings Health: 1

> Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Yes

materials or in any process, unless specified in the text.

Composition / Information on Ingredients: Component Summary **Revision information**

Physical & Chemical Properties: Multiple Properties

Toxicological information: Carcinogenicity Toxicological information: Chronic effects Toxicological information: Ingestion Toxicological information: Inhalation Ecological information: Mobility in soil

Disposal considerations: Disposal instructions

GHS: Classification

SDS Canada Version #: 02 Revision date: 05-04-2021 Issue date: 03-05-2019 8/8