# CIMCOOL® FLUID TECHNOLOGY

# SAFETY DATA SHEET

## 1. Identification

Product identifier CIMPERIAL® 35-880

METALWORKING FLUID

Other means of identification

SDS number Not applicable Product code B02614

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

. .

1-703-527-3887 (CHEMTREC)

Supplier

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

## 2. Hazard identification

Physical hazards Not classified.

Health hazardsSkin irritationCategory 2Serious eye irritationCategory 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

**Response**IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

Material name: CIMPERIAL® 35-880 SDS Canada Version #: 01 Issue date: 09-19-2019 1 / 9

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

None known.

Supplemental information

3.06% of the mixture consists of component(s) of unknown acute oral toxicity. 3.06% of the

mixture consists of component(s) of unknown acute dermal toxicity.

Use in manufacturing processes only.

The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES		64742-52-5	30 - 60
METHYLDIETHANOLAMINE		105-59-9	5 - 10
ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATED		68002-97-1	1 - 5
MONOETHANOLAMINE		141-43-5	1 - 5
Other components below reportable	levels		30 - 60

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

redness, swelling, and blurred vision. Skin irritation.

contaminated clothing before reuse.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Do not give liquids. Do not induce vomiting. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

unwell.

attendance.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

#### 5. Fire-fighting measures

Suitable extinguishing media

Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

## Occupational exposure limits

#### **ACGIH**

	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5) US. ACGIH Threshold Limit Value	TWA	5 mg/m3
00. Addit Tilleshold Lillit Value	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
,	TWA	3 ppm
Canada. Alberta OELs (Occupatio	nal Health & Safety Code, So	chedule 1, Table 2)
, .	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
Canada. British Columbia OELs. ( Safety Regulation 296/97, as amer		ts for Chemical Substances, Occupational Health and
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

 Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

 Type
 Value

 MONOETHANOLAMINE (CAS 141-43-5)
 STEL 6 ppm

 TWA 3 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Type Value

MONOETHANOLAMINE STEL 6 ppm (CAS 141-43-5)

TWA 3 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

MONOETHANOLAMINE STEL 15 mg/m3 (CAS 141-43-5) 6 ppm

TWA 7.5 mg/m3 3 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

**Type** 

 Type
 Value

 MONOETHANOLAMINE (CAS 141-43-5)
 15 minute
 6 ppm

 8 hour
 3 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Value

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

**Hand protection** Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

range

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.

ColorNot available.OdorCHEMICALOdor thresholdNot available.

**pH** 9.9

Melting point/freezing point  $< -30 \,^{\circ}\text{F} \, (< -34.4 \,^{\circ}\text{C})$ Initial boiling point and boiling  $> 212 \,^{\circ}\text{F} \, (> 100 \,^{\circ}\text{C})$ 

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

 Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

100 % Water Miscible Solubility (water)

**Partition coefficient** (n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. **Decomposition temperature** 

Not available. Not available.

Other information

Viscosity

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties

pH in aqueous solution 8.7 Specific gravity 0.943 VOC ASTM D2369 19 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Acids. Oxidizing agents.

**Hazardous decomposition** 

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

## 11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified.

Skin contact Causes skin irritation. Eye contact Causes eye irritation.

Not classified. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

**Acute toxicity** 

Components **Species Test Results** 

ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATED (CAS 68002-97-1)

**Acute Dermal** Liquid

LD50 Rat > 2000 mg/kg

Material name: CIMPERIAL® 35-880 SDS Canada 5/9 Components Species Test Results

**Oral** *Liquid* 

LD50 Rat > 5000 mg/kg

METHYLDIETHANOLAMINE (CAS 105-59-9)

Acute
Dermal
Liquid

LD50 Rabbit 10240 mg/kg

**Oral** Liquid

LD50 Rat 4680 mg/kg

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

<u>Acute</u> Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Inhalation

Mist LC50

Rat 5.7 mg/l, 4 hr

**Oral** *Liquid* 

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

MONOETHANOLAMINE (CAS 141-43-5)

Irritant

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

**Ecotoxicity**Contains a substance which causes risk of hazardous effects to the environment.

Components Species Test Results

ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATED (CAS 68002-97-1)

Aquatic

Acute

Crustacea EC50 Daphnia 0.1 - 1 mg/l, 48 hours Fish LC50 Zebra danio (Danio rerio) 1 - 10 mg/l, 96 hours

Material name: CIMPERIAL® 35-880 SDS Canada

**Test Results** Components **Species** 

METHYLDIETHANOLAMINE (CAS 105-59-9)

Aquatic

Acute

Crustacea EC50 Daphnia 233 mg/l, 48 hours

Fish LC50 Ide, silver or golden orfe (Leuciscus 1000 - 2200 mg/l, 96 hours

idus)

MONOETHANOLAMINE (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

Acute

Crustacea EC50 Daphnia 65 mg/l, 48 hours ECHA

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

**METHYLDIETHANOLAMINE** -1.08MONOETHANOLAMINE -1.31

**Bioconcentration factor (BCF)** 

MONOETHANOLAMINE < 3.2. ESTIMATED

Mobility in soil This product is miscible in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

**TDG** 

UN3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOLS, C13-15, **UN proper shipping name** 

BRANCHED AND LINEAR, ETHOXYLATED), MARINE POLLUTANT

Transport hazard class(es)

9 Class Subsidiary risk Ш Packing group **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN3082 **UN** number

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (ALCOHOLS, C13-15, BRANCHED AND

LINEAR, ETHOXYLATED)

Transport hazard class(es)

9 Class Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling

SDS Canada

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

**IMDG** 

**UN** number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOLS, C13-15,

BRANCHED AND LINEAR, ETHOXYLATED), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group

**Environmental hazards** 

Marine pollutant Yes F-A, S-F **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established. Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG; TDG



#### Marine pollutant



IMDG Regulated Marine Pollutant. **General information** 

## 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

Material name: CIMPERIAL® 35-880 SDS Canada 

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

## **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information

Issue date 09-19-2019

Version # 01

United States & Puerto Rico

Health: 1 **NFPA** ratings

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Yes

materials or in any process, unless specified in the text.

This document has undergone significant changes and should be reviewed in its entirety. **Revision information** 

SDS Canada 9/9